



600 GPH ROWPU Pictorial Inventory Book



Produced by WATEC, Incorporated, 499 Corinth Road, Newnan, GA 30263.
Telephone (770) 253-1755, Facsimile (770) 253-1778
Visit us on the worldwide web at www.watecinc.com



Preface

Introduction: This book provides a pictorial inventory of items related to the 600 GPH ROWPU (Model WPES-1). It is not intended to be a replacement of the guidelines contained in military publications, but rather, as a supplement to assist with the inventory and accountability.

Scope: This publication provides a pictorial inventory of the Components of End Item (COEI), and Basic Issue Items (BII) related to the 600 GPH ROWPU (WPES-1). This booklet does not include expendable and durable supplies and materials. Information is obtained from TM 10-4610-240-10 dated 05 March 1991, and TM 10-4610-240-10HR dated 13 March 1992.

Recommended Changes: All Recommendations will be researched. Recommended changes should be sent to manual@watecinc.com.



600 GPH ROWPU Components of End Item (COEI)

From TM 10-4610-240-10
w/changes 1 & 2
5 March 1991



**Adapter assembly, female NPSH to
Female cam-lock**

NSN: 4730-01-267-0001

P/N: 13227E8836

1 each

ITEM # 1



**Adapter, cam lock, 2" female to 2" NPT
external thread**

NSN: 4730-00-088-9285

P/N: 13222E5277-1

2 each

ITEM # 2



Reducer, hose 1 1/2" NPSH x 2" NPSH

NSN: 4210-01-131-8245

P/N: 13222E5277-1

2 each

ITEM # 3



**Adapter, straight, pipe to hose
.5 inch X .75 inch**

NSN: 4730-01-230-6584

P/N: 13217E7108-15

4 each

ITEM # 4



**Adapter, straight pipe to hose,
.75 inch X .75 inch**

NSN: 4730-01-331-2848

P/N 13228E3312-16

2 each

ITEM # 5



**Adapter straight pipe to hose
1 ½" internal x 1 ½" external**

NSN: 4730-00-278-8271

P/N: MIL-C-52404 TY16 CLB: 17648

2 each

ITEM # 6



**Adapter straight to pipe to hose
1 ½" external x 1 ½" external**

NSN: 4730-00-277-6844

P/N: DMH1515:H295-1-1/2

1 each

ITEM # 7



**Adapter straight pipe to hose
2"external x 2" external NPSH**

NSN: 4730-00-277-6845

P/N: 13218E0479-37: MIL-C-52404

1 each

ITEM # 8



**Adapter swivel, hose 2" external x
1 ½" internal swivel (one item)**

NSN: 4730-01-088-1698

P/N: 13221E8277

1 each

ITEM # 9



**Adapter, swivel pipe to hose 2"external
x 2" internal swivel**

NSN: 4730-01-107-7630

P/N: 13221E8290-2

1 each

ITEM # 10



Bushing, pipe: shoulder

NSN: 4730-00-277-1873

P/N: MS14315-20Y

2 each

ITEM # 11



Coupling, cam-lock 2" male to 2" NPSH internal thread

NSN: 4730-01-353-2984

P/N: AA59326/17-4-B

4 each

ITEM # 12



Coupling, quick disconnect aluminum alloy 2" female x 2" NPSH external thread

NSN: 4730-01-353-0585

P/N: AA59326/16-4-B-1

4 each

ITEM # 13



Coupling cam-lock 2" male x 1 1/2" external thread

NSN: 4730-00-432-7448

P/N: AA59326/13-5-A

2 each

ITEM # 14



Can assembly: (Pictured right to left)

NSN: 7240-01-223-3439 (**chlorine**)

P/N: 13226E7990-4

NSN: 7240-01-224-2852 (**citric acid**)

P/N: 13226E7990-3

NSN: 7240-01-223-3438 (**polymer**)

P/N: 13226E7990-1

NSN: 7240-01-223-3437 (**sodium hex**)

P/N: 13226E7990-2

1 each

ITEM # 15-18



Cartridge, chemical and radiological removal

NSN: 4610-01-128-1844 **(Chemical)**

P/N: 13221E8341-2

NSN: 4610-01-116-0501 **(Radiological)**

P/N: 13229E8341-1

1 each

ITEM # 19 & 20



Chest, storage assembly

NSN: 5140-01-223-3440

P/N: 13221E8380-1

NSN: 5140-01-223-3441

P/N: 13221E8380-2

1 each

ITEM # 21 & 22



Hose clamp

NSN: 4730-00-908-3194

P/N: AA52506-F-12: MS35842-11

6 each

ITEM # 23



Coupling, pipe: corrosion resistant

NSN: 4730-01-125-4456

P/N: 13218E0439-8

1 each

ITEM # 24



Reverse Osmosis Elements

NSN: 4610-01-105-2075

P/N: 13226E2212

8 each ITEM # 25



Float

NSN: 4610-00-066-2478

P/N: 9576-53-1

1 each ITEM # 26



Generator 30 kW, tactical utility

NSN: 6115-01-461-9335

P/N: MEP 805B

1 each

ITEM #27



Hose assembly, cotton, rubber lined 1 ½"

NSN: 4720-00-289-6123

P/N: AA59226-1-B-1.5-25FT

6 each

ITEM # 28




Hose assembly, cotton rubber lined 2"

NSN: 4720-01-136-6564

P/N: AA592263B225

3 each

ITEM # 29



Hose assembly, rubber smooth bore 2"

NSN: 4720-01-136-0092

P/N: 15943052

3 each

ITEM # 30



Hose assembly, rubber smooth bore 1 ½"

NSN: 4720-00-202-6731

P/N: AA59566BA1015120

9 each

ITEM # 31



Meter assembly, monitor, dissolved

NSN: 6630-01-346-7271

P/n13227E7585

1 each

ITEM # 32



Nozzle


NSN: 2910-01-188-8198

Replaces 4930-00-902-4642

P/N: 13229E0196

1 each

ITEM # 33



Pump assembly, backwash

(shown with strainer)

NSN: 4320-01-083-9863 *(pump)*

P/N: 13222E5260

1 each

ITEM # 34

Strainer

NSN: 4730-01-132-0783

P/N: MOD72/72S-SS

1 each




Pump assembly, distribution

NSN: 4320-01-083-9859

P/N: 13229E5265

1 each

ITEM # 35



Pump assembly, raw water

NSN: 4320-01-084-2235

P/N 13222E5250

2 each

ITEM # 36



Rack, chemical feed can

NSN: 7125-01-232-7686

P/N: 13226E8331

1 each

ITEM # 37



**Reducer, adapter 1/2" NPT ext. x 3/4" NPT
internal**

NSN: 4730-01-133-1727

P/N: 12-8-130139S:61148

2 each

ITEM # 38



**Reducer, hose 2" NPSH internal thread
to 1 1/2" NPSH internal thread**

NSN: 4210-00-377-6521

P/N: MIL-C-52404

2 each

ITEM # 39



**Rod, ground: three, 3 ft. sections
w/ wire & clamp**

NSN: 5975-01-053-3991

P/N: AA55804-III-B

1 each

ITEM # 40



Step, portable

NSN: 2540-01-115-1513

P/N: 13221E8342

1 each

ITEM # 41



Strainer, suction

NSN: 4730-00-684-4296

P/N: 13228E8307

1 each

ITEM # 42



**Tank assembly, fabric collapsible:
water storage, 3000 gallon**

NSN: 5430-01-170-6984

MIL-T-53048

3 each

ITEM # 43



Trailer, flatbed: 600 GPH ROWPU

NSN: 2330-01-226-0709

P/N: 13222E7100

1 each

ITEM # 44



Tubing, flexible, reinforced: 80" long

NSN: 4270-01-132-0800

P/N: 13221E8367-2

3 each

ITEM # 45

(When ordered, comes in 100' rolls)



Valve, gate 1 ½"

NSN: 4820-00-288-7568

P/N: BEV150

1 each

ITEM # 46



Valve, gate 2"

NSN: 4820-00-595-1847

P/N: MSS-SP-80

1 each

ITEM # 47



Water Purification Unit, Trailer Mtd.

NSN: 4610-01-295-2720 WPES-1 (Army)

NSN: 4610-01-300-0918 WPES-2 (AF)

NSN: 4610-01-295-2719 WPES-3 (MC/Navy)

1 each

ITEM # 48-50

**This is a complete listing of all
Components Of End Items!
From TM 10-4610-240-10
5 March 91**



Basic Issue Items

From TM 10-4610-240-10
w/changes 1 & 2
5 March 1991



Bag, tool, envelope

NSN: 5140-00-772-4142

P/N: MIL-B-43648-4

2 each

ITEM # 1



Battery, dry 9-volt

NSN: 6135-00-850-3177

P/N: P.D.7FXEE92-239 TY1

BX

ITEM # 2



Beaker 250 ml.

NSN: 6640-00-942-4393

P/N: NNN-B-175 TY1

3 each

ITEM # 3



Case, maintenance and operational manuals

NSN: 7520-00-559-9618

P/N:MIL-C-11743

1 each

ITEM # 4



Comparator, color

NSN: 6630-01-044-0334

P/N: U25337

1 each

ITEM # 5



Cylinder, graduated plastic 100 ml

NSN: 6640-01-086-7603

P/N: 08-572D

1 each

ITEM # 6



Discharge valve cover capscrew adapter

NSN: N/A

P/N: *001

1 each

ITEM # 7



Ear muff-type hearing protectors

NSN: 4240-00-022 -2946

P/N: A-A-58084

1 each

ITEM # 8



Ear plugs, disposable

NSN: 6515-00-137-6345

P/N: E-A-R

1 bx.

ITEM # 9



Extension, socket wrench 5" long

NSN: 5120-00-243-7326

P/N: B107.10MTY2C2ST151N

1 each

ITEM # 10



Extractor, lamp

NSN: 5120-00-288-7679

P/N: 999

1 each

ITEM # 11



Filter, tube for cartridge filter

NSN: 4610-01-128-6277

P/N: 13226E2210

1 bx.

ITEM # 12



Flashlight

NSN: 6230-00-264-8261

P/N: MX-991/U

1 each

ITEM # 13




**Gland adj. Tool 3/16" diameter rod
8 inch long**

NSN: N/A

P/N: *003

1 each

ITEM # 14



**Hammer hand 1 ½ lb. head weight
Type 2, Style B, Class 1**

NSN: 5120-00-061-8545

P/N: GGG-H-86

1 each

ITEM # 15



**Hammer hand 8 lb. head weight
double face, Type X, Class 1**

NSN: 5120-00-251-4489

P/N: GGG-H-86

1 each

ITEM # 16



Handle socket wrench, brace speeder

NSN: 5120-00-249-1071

P/N: GGG-W-641

1 each

ITEM # 17



Handle socket wrench, ratchet type

NSN: 5120-00-230-6385

P/N: A-A-2165

1 each

ITEM # 18



Key socket head screw 5 mm

NSN: 5120-01-045-4890

P/N: 5 X 80MM

1 each

ITEM # 19



Lamp, incandescent: 120 volts, 100 watts

NSN: 6240-00-246-5022

P/N: WL101-86T

1 each


ITEM # 20



**Lamp, incandescent bulb
size s-6, 6 watts**
NSN: 6240-00-143-3049
P/N: WL101-86T
9 each ITEM # 21



**Light extension,
close end w/hook 50 ft. long**
NSN: 6240-00-901-9755
P/N: A23 ROUGH SERVICE
1 each ITEM # 22




Mallet rubber barrel shaped 20 oz.

NSN: 5120-00-293-3399

P/N: GGG-H-33TY3CL3

1 each

ITEM # 23



Operators maintenance manual

TM 10-4610-240-10

Direct and general support maint.

TM 10-4610-240 -24

Unit, direct & general parts

TM 10-4610-240 -24P

1 each

ITEM # 24



**Measure, dry chemical
Calcium hypochlorite**

NSN: 4610-00-542-4639

P/N MIL-M-52372

1 each

ITEM # 25



Measure, dry chemical Sodium hex

NSN: 4610-00-115-7521

P/N: 13221E8334

1 each

ITEM # 26



Measure, liquid polyelectrolyte

NSN: 6640-01-168-0312

P/N: 13221E8329

1 each

ITEM # 27



Meter TDS

NSN: 6630-00-127-4774

P/N: 532T1

1 each

ITEM # 28



Paddle, wooden

NSN: 7330-00-972-5211

P/N: MIL-W-52027

4 each

ITEM # 29



Paddle aluminum

NSN: 4610-01-088-3233

P/N: 13221E8328

1 each

ITEM # 30



Pail utility, plastic or rubber size 4

NSN: 7240-00-137-1609

P/N: LL-P-65, SIZE 4

4 each

ITEM # 31



Pliers, slip joint 6" long

NSN: 5120-00-223-7396

P/N: GGG-P-471TY2CL2STYA6IN

1 each

ITEM # 32



Puller, reverse osmosis element

NSN: 5120-01-135-0062

P/N: 13221E8330

1 each

ITEM # 33



Rope fibrous, manila hemp, type m

NSN: 4020-01-286-9849

P/N: T-T-605 TYMCL1or2

3 ft.

ITEM # 34



Screw, machine steel hex 2" long

NSN: 5305-01-088-7419

P/N: MS51849-102

8 each

ITEM # 35



Screwdriver, cross tip 4" blade

NSN: 5120-00-234-8913

P/N: GGG-S-121 TYPE IV

1 each

ITEM # 36



Screwdriver flat tip 1 ½" blade

NSN: 5120-00-596-8502

P/N: GGG-S-121

1 each

ITEM # 37



Screwdriver flat tip 6" long blade

NSN: 5120-00-234-8910

P/N: ANSI B107.15

1 each

ITEM # 38



Socket wrench

1/2"	NSN: 5120-00-237-0984
9/16"	NSN: 5120-00-189-7932
5/8"	NSN: 5120-00-189-7946
11/16"	NSN: 5120-00-235-5870
3/4"	NSN: 5120-00-189-7985
7/8"	NSN: 5120-00-189-7934
15/16"	NSN: 5120-00-189-7935
1 each	ITEMS # 39-45



Stuffing box flange cap screw adapter 3/8" hex bar 4" long

P/N: *002	
1 each	ITEM # 46



Thermometer 0-220° F

NSN: 6685-01-103-9938

P/N: 2292

1 each

ITEM # 47




Tube turbidity 1000 ml.

NSN: 6630-01-105-2058

P/N: 13221E8335

1 each

ITEM # 48



**Wrench set, combination box
& open end**

NSN: 5120-00-148-7917

P/N: GGG-W-636

1 set

ITEM # 49



**Wrench adjustable, chromium plated
12 inches long**

NSN: 5120-00-264-3796

P/N: GGG-W-631 TYICLI

1 each

ITEM # 50



**Wrench adjustable, chromium plated
6 inches long**

NSN: 5120-00-264-3795

P/N: GGG-W-631

1 each

ITEM # 51



Wrench box & open end 1 ½"

NSN: 5120-00-228-9517

P/N: GGG-W-636

1 each

ITEM # 52



**Wrench, pipe strap 1/8"-2" pipe size
12 inches long**

NSN: 5120-00-242-3249

P/N: GGG-W-651

1 each

ITEM # 53



Wrench, pipe: adjustable jaw

NSN: 5120-00-277-1479

P/N: GGG-2-651

2 each

ITEM # 54



**Wrench, pliers straight jaw style
10" long**

NSN: 5120-01-176-6931

OLD NSN: 5120-00-277-4244

P/N: GGG-W-00649

1 each

ITEM # 55



**Wrench, spanner universal 1- 3" hose
11 inches long**


NSN: 5120-00-293-1602

P/N: GGG-W-665

2 each

ITEM # 56

OR



NSN: 5120-01-397-4406

P/N: 9100W000095

**Bottom wrench from 239 series and can be used as gland adjusting tool on high pressure pump.* 51



**Wrench, wheel stud 1 ½" hex opening
& .812 inch square opening
w/removable handle**

NSN: 5120-00-378-4411

P/N: 12933

1 each

ITEM # 57



Hand Receipt

TM 10-4610-240-10HR

13 March, 1992

SECTION II. HAND RECEIPT

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.</i>		FROM:		TO:		HAND RECEIPT NUMBER	
FOR ANNEX DATE QUANTITY CR ONLY	END ITEM STOCK NUMBER	END ITEM DESCRIPTION WATER PURIFICATION			PUBLICATION NUMBER		PUBLICATION
	4610-01-295-2720	UNIT, REVERSE OSMOSIS 600 GPH			TM 10-4610-240-HR		1

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
4610-01-295-2720	WATER PURIFICATION UNIT, REVERSE OSMOSIS	N		EA	1						
	600 GPH, TRAILER MOUNTED FLATBED CARGO,										
	5 TON, 4 WHEEL TANDEM ROWPU										
	MODEL WPES-1										
	COMPONENTS OF END ITEM										
4730-01-267-0001	ADAPTER ASSEMBLY, FEMALE NPSH TO FEMALE	N		EA	1						
	CAM-LOCK (97403) 13227E8836										
4730-01-131-8245	ADAPTER, NOSE; BRASS; 2 INCH - 1-12 NPSH	N		EA	2						
	INTERNAL ONE END; 1 1/2 INCH - 1-1/2 NPSH										
	EXTERNAL OTHER END (97403) 1322E5277-1										
	NYA ADAPTER, STRAIGHT, PIPE TO HOSE	N		EA	4						
	(97403) 13228E3312-14										
	NYAADAPTER, STRAIGHT PIPE TO HOSE	N		EA	2						
	(97403) 13228E3312-16										
4730-00-278-8271	ADAPTER, STRAIGHT, PIPE TO HOSE: BRASS	N		EA	2						
	PIPE END 1 1/2 INCH - 1-1/2 NPT EXTERNAL;										
★ WHEN USED AS A:											

HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 DA FORM 2062
 JAN 82

EDITION OF JAN 58 IS OBSOLETE.

PAGE 1 OF 18 PAGES.
 CURRENT AS OF 1 JULY 1991

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
	COEI - CONTINUED										
	HOSE END 1 11/2 INCH - 1-1/2 NPSH INTERNAL;										
	(81349) MIL-C-52404, TYPE XVI, CLASS B										
4730-00-277-6844	ADAPTER, STRAIGHT, PIPE TO HOSE: BRASS;	N		EA	1						
	PIPE END 1 1/2 INCH - 1-1/2 NPT EXTERNAL;										
	HOSE END 1 1/2 NPSH EXTERNAL (81349)										
	MIL-C-52404 TYPE XVI, CLASS C										
4730-00-277-6845	ADAPTER, STRAIGHT, PIPE TO HOSE: BRASS;	N		EA	1						
	PIPE END 2 INCH - 1 1/2 NPSH EXTERNAL;										
	HOSE END 2 INCH - 1 1/2 NPSH EXTERNAL;										
	(81349) MIL-C-52404, TYPE XVI, CLASS C										
4730-01-088-1698	ADAPTER, SWIVEL, HOSE: BRASS; 2 INCH -	N		EA	1						
	1 1/2 NPSH EXTERNAL ONE END: 1 1/2 INCH -										
	1 1/2 NPSH INTERNAL SWIVEL OTHER END										
	(97403)13221 E8277										
4730-01-107-7630	ADAPTER, SWIVEL, PIPE TO HOSE: BRASS; PIPE	N		EA	1						
	END 2 INCH -1 1/2 NPT EXTERNAL; HOSE END										
	2 INCH - 1 1/2 NPSH INTERNAL(97403										
	13221 E8290-2										
4730-00-277-1873	BUSHING, PIPE: SHOULDER (96906)	N		EA	2						
	MS14315-20Y										

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.</i>		FROM:		TO:		HAND RECEIPT NUMBER	
FOR ANNEX DATEQUANTITY CR ONLY	END ITEM STOCK NUMBER	END ITEM DESCRIPTION WATER PURIFICATION			PUBLICATION NUMBER		PUBLICATION
	4610-01-295-2720	UNIT, REVERSE OSMOSIS 600 GPH			TM 10-4610-240-HR		1

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
	COEI - CONTINUED										
7240-01-223-3439	CAN ASSEMBLY, CHEMICAL FEED CHLORINE:	N		EA	1						
	(97403) 13226E7990-4										
7240-01-224-2852	CAN ASSEMBLY, CHEMICAL FEED, CITRIC ACID:	N		EA	1						
	(97403) 13226E7990-3										
7240-01-223-3438	CAN ASSEMBLY, CHEMICAL FEED, POLYMER:	N		EA	1						
	(97403) 13226E7990-1										
7240-01-223-3437	CAN ASSEMBLY, CHEMICAL FEED, SODIUM HEX	N		EA	1						
	(97403) 13226E7990-2										
4610-01-128-1844	CARTRIDGE, CHEMICAL AGENT REMOVAL	X		EA	1						
	(97403) 13221E8341-2										
4610-01-116-0501	CARTRIDGE, RADIOLOGICAL CONTAMINANT	X		EA	1						
	REMOVAL; NO.D9001 (05852); (97403)										
	13221E8341-1										
	CHEST ASSEMBLY, STORAGE (97403)	N		EA	1						
	13221E8380-1										

★ WHEN USED AS A:

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

EDITION OF JAN 58 IS OBSOLETE.

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
	COEI - CONTINUED										
	CHEST ASSEMBLY, STORAGE (97403)	N		EA	1						
	13221E8380-2										
4730-00-908-3194	CLAMP, HOSE; LOW PRESSURE, TYPE "F",	N		EA	6						
	(96406) MS35842-11 (96906)										
4730-01-125-4456	COUPLING PIPE: CORROSION RESISTANT	N		EA	1						
	(97403) 13218E0439-8										
4610-01-105-2075	ELEMENT, REVERSE OSMOSIS, SPIRAL	X		EA	8						
	WOUND (97403)1 3226E2212										
4610-00-066-2478	FLOAT, FIGURE 4, (81349) MIL-W-52482	N		EA	1						
6115-00-118-1240	GENERATOR SET, DIESEL ENGINE DRIVEN	N		EA	1						
	TACTICAL, UTILITY, SKID MTD, 30KW, 3 PHASE,										
	4 WIRE, 120/208 AND 240/416 VOLTS 50/60 HERTZ										
	(81349) MIL-G-52884/5										
	NYA HOSE ASSEMBLY, COTTON RUBBER LINED:	N		EA	6						
	SINGLE JACKET; SYNTHETIC; 300 PSI TEST										
	PRESSURE; BRASS COUPLING EACH END, FED										
	SPEC WW-C-62 1, TYPE B 1, EXPANSION RING,										
	ROCKER LUG, RIGID EXTERNAL THD ONE END										
	AND SWIVEL INTERNAL THD OTHER END; 1 1/2										
	INCH- 1 1/2 NPSH; 1 1/2 IN ID; 25 FT.LG,										

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.</i>		FROM:		TO:		HAND RECEIPT NUMBER	
FOR ANNEX DATEQUANTITY CR ONLY	END ITEM STOCK NUMBER	END ITEM DESCRIPTION WATER PURIFICATION			PUBLICATION NUMBER		PUBLICATION
	4610-01-295-2720	UNIT, REVERSE OSMOSIS 600 GPH			TM 10-4610-240-HR		1

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
	COEI - CONTINUED										
	EXCLUDING COUPLINGS, ZZ-H-451, TYPE 1,										
	CLASS B, SIZE 1 1/2, FOR POTABLE WATER USE,										
	(SEE PARA 3.4.1.1 OF ZZ-H-451).										
NYA	HOSE ASSEMBLY, POLYESTER, RUBBER LINED:										
	SINGLE JACKET; SYNTHETIC; 350 PSI TEST										
	PRESSURE BRASS COUPLING EACH END, FED SPEC										
	WW-C-62 1, TYPE B 1, EXPANSION RING, ROCKER										
	LUG, RIGID EXTERNAL THD ONE END AND										
	SWIVEL INTERNAL OTHER END; 2 INCH - 1 1/2										
	NPSH; 1 INCH ID; 25 FT. LG, EXCLUDING										
	COUPLINGS; ZZ-H-45 1, TYPE III, CLASS B,										
	SIZE 2 FOR GENERAL WATER USE										
NYA	HOSE ASSEMBLY, RUBBER, SMOOTH BORE, SUCTION	N		EA	3						
	AND DISCHARGE, WRAPPED FABRIC CONSTRUCTION,										
	WIRE REINFORCEMENT, 100 PSI TEST PRESSURE,										

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

DA FORM 2062
JAN 82

PAGE 5 OF 18 PAGES.
CURRENT AS OF 1 JULY 1991

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
	COEI - CONTINUED										
	BRASS COUPLING EACH END, WW-C-624,										
	TYPE B 1, EXPANSION RING, ROCKER LUG,										
	RIGID EXTERNAL THD ONE END AND SWIVEL										
	INTERNAL THD OTHER END; 2 INCH - 1 1/2										
	NPSH, 2 INCH ID; 10 FT LONG EXCLUDING;										
	ZZ-H-56 1, GRADE B, STYLE A, CLASS I,										
	SIZE 2, (GENERAL WATER USE INNER TUBE)										
NYA	HOSE ASSEMBLY, RUBBER, SMOOTH BORE, SUCTION	N		EA	9						
	AND DISCHARGE, WRAPPED FABRIC CONSTRUCTION,										
	WIRE REINFORCEMENT, 100 PSI TEST PRESSURE,										
	BRASS COUPLING EACH END, WW-C-624,										
	TYPE B1, EXPANSION RING, ROCKER LUG,										
	RIGID EXTERNAL THD ONE END AND SWIVEL										
	INTERNAL THD OTHER END; 1 1/2 INCH - 1 1/2										
	NPSH, 1 1/2 INCH ID; 10 FT LONG EXCLUDING										
	COUPLINGS ZZ-H-56 1, GRADE B, STYLE										
	A, CLASS 2, SIZE 1 1/2 (POTABLE WATER USE										
	INNER TUBE)										
NYA	METER ASSEMBLY, MONITOR, DISSOLVED	N		EA	1						
	SOLIDS (97403) 13227E7585										

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.</i>		FROM:		TO:		HAND RECEIPT NUMBER	
FOR ANNEX DATEQUANTITY CR ONLY	END ITEM STOCK NUMBER	END ITEM DESCRIPTION WATER PURIFICATION			PUBLICATION NUMBER		PUBLICATION
	4610-01-295-2720	UNIT, REVERSE OSMOSIS 600 GPH			TM 10-4610-240-HR		1

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
	COEI - CONTINUED										
4930-00-902-4642	NOZZLE, FUEL AND OIL SERVICING, PISTOL	N		EA	1						
	GRIP SELF-CLOSING; W/INTEGRAL STRAINER;										
	1 1/2 INCH NPT, INTERNAL INLET; RIGID SPOUT:										
	W/REDUCING BUSHING, DUST CAP, STRAINER										
	AND NOZZLE (81349) MIL-N-52110, TYPE 1,										
	SIZE 2										
4320-01-083-9863	PUMP ASSEMBLY BACKWASH (97403)	N		EA	1						
	13222E5260										
4320-01-083-9859	PUMP ASSEMBLY, DISTRIBUTION (97403)	N		EA	1						
	13222E5265										
4320-01-084-2235	PUMP ASSEMBLY, RAW WATER(97403) 13222E5250	N		EA	2						
7125-01-232-7686	RACK, CHEMICAL FEED CAN (97403) 13222E5250	N		EA	1						
4730-01-133-1727	REDUCER, ADAPTER: 1/2 NPT EXTERNAL X	N		EA	2						
	3/4 HOSE INTERNAL (27901) 61148										

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
	COEI - CONTINUED										
5975-01-053-3991	ROD, GROUND: THREE 3 FT SECTIONS:	N		EA	1						
	W/ATTACHMENTS: W-R-550, TYPE III, CLASS B										
2540-01-115-1513	STEP, PORTABLE, (97403) 13221E8342	N		EA	1						
4730-00-684-4296	STRAINER, SUCTION HOSE: BRASS; CYLINDRICAL	N		EA	1						
	(97403) 13228E8307										
NYA	STRAP ASSEMBLY (97403) 13220E5288-5	N		EA	3						
5430-01-170-6984	TANK, ASSY FABRIC, COLLAPSIBLE: WATER	N		EA	3						
	STORAGE, 3000 GAL: (81349) MIL-T- 14398										
2330-01-226-0709	TRAILER, FLATBED: 600 GPH ROWPU (97403)	N		EA	1						
	13222E7100										
4270-01-132-0800	TUBING, FLEXIBLE, REINFORCED: 80.00 INCH	N		EA	3						
	LONG (97403) 13221E8367-2										
4820-00-288-7568	VALVE, GATE, 1 1/2 INCH 1-1/2 NPT	N		EA	1						
	(81348) WWV-54										
4820-00-595-1847	VALVE GATE 2-1-1/2 NPT (81348) WWV-54	N		EA	1						
	BASIC ISSUE ITEMS - BII										
5140-00-772-4142	BAG, TOOL, ENVELOPE TYPE: COTTON DUCK:	D		EA	2						
	SIZE 4, 10 1/8 INCH H 20 1/4 INCH LONG,										
	(81349) MIL-B-43648										

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2.1</i> <i>The proponent agency is ODCSLOG.</i>		FROM:		TO:		HAND RECEIPT NUMBER	
FOR ANNEX DATE QUANTITY CR ONLY	END ITEM STOCK NUMBER	END ITEM DESCRIPTION WATER PURIFICATION			PUBLICATION NUMBER		PUBLICATION
	4610-01-295-2720	UNIT, REVERSE OSMOSIS 600 GPH			TM 10-4610-240-HR		1

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
	BII - CONTINUED										
6135-00-850-3177	BATTERY, DRY: 9 VOLT; 2 TERMINALS	X		BX	1						
	SNAP-ON TERMINAL; RECTANGULAR SHAPE										
	(81348) W-B-101										
6640-00-942-4393	BEAKER, LABORATORY: WITH SPOUT	D		EA	3						
	BOROSILICATE GLASS, 250 ML (81348) NNN-B-1 75										
6810-00-242-4770	CALCIUM, HYPOCHLORITE 3 3/4 LB BOTTLE	X		BT	4						
	(81348) O-C- 11743, TYPE 1										
7520-00-559-9618	CASE, MAINTENANCE AND OPERATIONAL	D		EA	1						
	MANUALS; COTTON DUCK, MILDEW RESISTANT,										
	WATER REPELLANT, 22 INCH H, 12.75 INCH										
	LG. (81349) MIL-C-11743										
6810-01-164-3975	CITRIC ACID, 3/4 LB BOTTLE (81349) MIL-C- 11029	X		BT	5						
6850-01-167-5318	COAGULANT, LIQUID 2.35 LB BOTTLE	X		BT	3						
	(81349) MIL-C-52947										
6630-01-044-0334	COMPARATOR, COLOR (12308) U25337	D		EA	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
	BII - CONTINUED										
6640-01-086-7603	CYLINDER, GRADUATED, PLASTIC: 100 ML										
	(22527) NO. 8-572D										
NYA	DISCHARGE VALVE COVER CAPSCREW ADAPTER,	X		EA	1						
	1/2 INCH HEX BAR, 2 IN LONG (61748) 001										
4240-00-022-2946	EAR MUFF-TYPE HEARING PROTECTORS	X		EA	1						
6515-00-137-6345	EAR PLUGS, DISPOSABLE: 400 PER BOX	X		BX	1						
5120-00-243-7326	EXTENSION, SOCKET WRENCH: 5 INCH LONG;	D		EA	1						
	(81348) GGG-W-641										
5120-00-288-7679	EXTRACTOR, LAMP	D		EA	1						
4610-01-128-6277	FILTER, TUBE: FOR CARTRIDGE FILTER:	X		EA	1						
	(97403) 13226E22 10										
6230-00-264-8261	FLASHLIGHT: TYPE 1, STYLE 2, (81349)	D		EA	1						
	MIL-F-3747										
NYA	GLAND ADJUSTING TOOL, 3/16 INCH DIA ROD,	D		EA	1						
	8 INCH LONG (61748) 003										
5120-00-061-8545	HAMMER, HAND: 1 1/2 LB HEAD WEIGHT; TYPE 2,	D		EA	1						
	STYLE B, CLASS 1, (81348) GGG-H-86										
5120-00-251-4489	HAMMER, HAND: 8 LB HEAD WEIGHT; DOUBLE	D		EA	1						
	FACE, TYPE X, CLASS 1 (81348) GGG-H 86										

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2.1</i> <i>The proponent agency is ODCSLOG.</i>		FROM:	TO:	HAND RECEIPT NUMBER	
FOR ANNEX DATEQUANTITY CR ONLY	END ITEM STOCK NUMBER	END ITEM DESCRIPTION WATER PURIFICATION		PUBLICATION NUMBER	PUBLICATION
	4610-01-295-2720	UNIT, REVERSE OSMOSIS 600 GPH		TM 10-4610-240-HR	1

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
	BII - CONTINUED										
5120-00-249-1071	HANDLE, SOCKET WRENCH: BRACE SPEEDER	D		EA	1						
	TYPE; 16 INCH TO 20 INCH LONG (81348)										
	GGG-W-641										
5120-00-230-6385	HANDLE SOCKET WRENCH: RATCHET TYPE	D		EA	1						
	REVERSIBLE; 9 INCH (81348) GGG-W-641										
6810-00-087-2340	INDICATOR SOLUTION, PH, 160 BOTTLE (81349) MIL-1-52701	X		BT	1						
5120-01-045-4890	KEY SOCKET HEAD SCREW: 5MM (57719) AWM-5C	D		EA	1						
NYA	LAMP, INCANDESCENT: 120 VOLTS, 100 WATTS	X		EA	1						
	(96906) W-L-101/77										
NYA	LAMP, INCANDESCENT: BULB SIZE S-6; 6 WATTS	X		EA	9						
	(96906) MS15567-2										
6240-00-901-9755	LIGHT, EXTENSION: CLOSED END GUARD	D		EA	1						
	W/HOOK; PLASTIC BODY W/SWITCH LAMP										
	ACCOMMODATION INCL; 50 FT LG; (81348)										
	W-L-661										

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

DA FORM 2062
JAN 82

PAGE 11 OF 18 PAGES
CURRENT AS OF 1 JULY 1991

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
5120-00-293-3399	MALLET, RUBBER: BARREL-SHAPED, 20 OZ,	D		EA	1						
	TYPE III, CLASS 3, (81348) GGG-H-33										
	MANUAL, TECHNICAL										
	OPERATOR'S MAINTENANCE MANUAL										
	600 GPH REVERSE OSMOSIS WATER PURIFICATION UNIT										
	TM 10-4610-240-10			EA	1						
	ORGANIZATIONAL, DIRECT SUPPORT AND										
	GENERAL SUPPORT MAINTENANCE MANUAL										
	600 GPH REVERSE OSMOSIS WATER PURIFICATION UNIT										
	TM 10-4610-240-24			EA	1						
	UNIT, DIRECT SUPPORT AND GENERAL										
	SUPPORT MAINTENANCE REPAIR PARTS AND										
	SPECIAL TOOL LIST (RPSTL)										
	TM 10-4610-24024			EA	1						
5120-00-293-3399	MALLET, RUBBER: BARREL-SHAPED, 20 OZ,	D		EA	1						
	TYPE III, CLASS 3, (81348) GGG-H-33										
4610-00-542-4639	MEASURE, DRY CHEMICAL, WATER PURIFICATION:	D		EA	1						
	PLASTIC, CALCIUM HYPOCHLORITE; 0.05 LB.										
	GRADUATIONS; 0.20 LB (81349) MIL-M-52373										

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2.1</i> <i>The proponent agency is ODCSLOG.</i>		FROM:		TO:		HAND RECEIPT NUMBER	
FOR ANNEX DATE QUANTITY CR ONLY	END ITEM STOCK NUMBER	END ITEM DESCRIPTION			PUBLICATION NUMBER	PUBLICATION	
	4610-01-295-2720	UNIT, REVERSE OSMOSIS 600 GPH			TM 10-4610-240-HR	1	

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
	BII - CONTINUED										
4610-00-115-7521	MEASURE, DRY CHEMICAL, WATER PURIFICATION:	D		EA	1						
	SODIUM HEXAMETAPHOSPHATE; 0.1 LB (97403)										
	13221 E8334										
NYA	MEASURE, LIQUID, WATER PURIFICATION:	D		EA	1						
	ELECTROLYTE, 107 ML (97403) 13221E8329										
6630-00-127-4774	METER, DISSOLVED SOLIDS (97403) 13222E5258	D		EA	1						
7330-00-972-5211	PADDLE, (81349) MIL-W-52482	D		EA	1						
4610-01-088-3233	PADDLE, ALUMINUM (97403) 13221E8328	D		EA	1						
7240-00-137-1609	PAIL, UTILITY: PLASTIC OR RUBBER, POURING	D		EA	1						
	LIP, WITH BAIL (81348) L-P-65, SIZE 4										
5120-00-223-7396	PLIERS, SLIP-JOINT: 6 INCH LG; (81348)	D		EA	1						
	GGG-P-47 1, TYPE 2, STYLE A, CLASS 2										
5120-01-135-0062	PULLER, REVERSE OSMOSIS ELEMENT:	D		EA	1						
	(97403) 13221E8330										

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
	BII - CONTINUED										
NYA	ROPE, FIBROUS: MANILA HEMP; TYPE M	X		FT	3						
	CLASS 1, .75 IN DIA (81348) T-R-605										
5305-01-088-7410	SCREW, MACHINE-STEEL, HEX HD SLOTTED,	X		EA	8						
	CARBON STEEL, CAD PLTD, 1/4 - 20 UNC - 2A										
	2 INCH LG (96906) MS 51849-102										
5120-00-234-8913	SCREWDRIVER, CROSS TIP: PHILLIP; PLASTIC	D		EA	1						
	HANDLE; NO. 2 TIP; 4-INCH BLADE; (81348) GGG-S- 121										
	TYPE IV, CLASS 1, STYLE 1										
5120-00-596-8502	SCREWDRIVER, FLAT TIP: FLARED TIP; PLASTIC	D		EA	1						
	HANDLE; 1/4 INCH WIDTH TIP; 1 1/2 IN LG										
	BLADE (81348) GGG-S-121, TYPE I, STYLE 1,										
	CLASS 3										
5120-00-234-8910	SCREWDRIVER, FLAT TIP: FLARED, PLASTIC	D		EA	1						
	HANDLE; 5/16 INCH WIDTH TIP; 6 INCH LG										
	BLADE (81348) GG-S- 121, TYPE I, DESIGN A,										
	SHAPE A										
5120-00-237-0984	SOCKET, SOCKET WRENCH: 1/2 INCH (81348)	D		EA	1						
	GGG-W-641										
5120-00-189-7935	SOCKET, SOCKET WRENCH: 9/16 INCH (81348) GGG-W-641	D		EA	1						
5120-00-189-7946	SOCKET, SOCKET WRENCH: 5/8 INCH (81348) GGG-W-641	D		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2.1 The proponent agency is ODCSLOG.</i>		FROM:		TO:		HAND RECEIPT NUMBER	
FOR ANNEX DATEQUANTITY CR ONLY	END ITEM STOCK NUMBER	END ITEM DESCRIPTION WATER PURIFICATION			PUBLICATION NUMBER		PUBLICATION
	4610-01-295-2720	UNIT, REVERSE OSMOSIS 600 GPH			TM 10-4610-240-HR		1

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
	BII - CONTINUED										
5120-00-235-5870	SOCKET, SOCKET WRENCH: 1 1/16 INCH (81348) GGG-W-641	D		EA	1						
5120-00-189-7985	SOCKET, SOCKET WRENCH: 3/4 INCH (81348) GGG-W-641	D		EA	1						
5120-00-189-7934	SOCKET, SOCKET WRENCH: 7/8 INCH (81348) GGG-W-641	D		EA	1						
5120-00-189-7935	SOCKET, SOCKET WRENCH: 15/16 INCH (81348) GGG-W-641	D		EA	1						
6810-01-164-3941	SODIUM HEXAMETAPHOSPHATE 2 LB BOTTLE	X		BT	2						
	(87349) MIL-S-5 1078										
NYA	STUFFING BOX FLANGE CAPSCREW ADAPTER	D		EA	1						
	3/8 INCH HEX BAR, 4 INCH LONG (61748) 002										
6810-01-044-0315	TABLETS, CHLORINE, TEST (79172) U-25410	X		BX	1						
6685-01-103-9938	THERMOMETER, SELF INDICATING; 0-220°F;	D		EA	1						
	5 INCH STEM (65092) MODEL 2292										
6630-01-105-2058	TUBE TURBIDITY (97403) 13221E8335	D		EA	1						
5120-00-148-7917	WRENCH SET, COMBINATION BOX AND OPEN END;	D		ST	1						
	15 DEG OFFSET BOX; OPENING, 5/16 TO 1 INCH										
	OPENINGS; W/ROLL (81348) GGG-W-636										

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
	BII - CONTINUED										
5120-00-264-3796	WRENCH, ADJUSTABLE: CHROMIUM PLATED	D		EA	1						
	OPEN END; SINGLE HEAD (81348) GGG-W-63 1,										
	TYPE I, CLASS 1, SIZE 2										
5120-00-264-3795	WRENCH, ADJUSTABLE: STEEL CHROMIUM PLATED:	D		EA	1						
	OPEN END; SINGLE HEAD (81348) GGG-W-63 1,										
	TYPE 1, CLASS 1, SIZE 6										
5120-00-228-9517	WRENCH, BOX AND OPEN END 1 1/2 INCH (81348)	D		EA	1						
	GGG-W-636										
5120-00-242-3240	WRENCH, PIPE-STRAP: 1/8"-2" PIPE SIZE	D		EA	1						
	12 INCH LG (81348) GGG-W-651										
5120-00-277-1479	WRENCH, PIPE: ADJUSTABLE JAW, STILLSON	D		EA	2						
	PATTERN; ALUMINUM ALLOY; 1 TO 20 INCH IPS;										
	18 INCH LG. (81348) GGG-2-65 1, TYPE II, CLASS C										
5120-00-277-4244	WRENCH; PLIER:STRAIGHT JAW STYLE: 10 INCH	D		EA	1						
	NOM LG; TYPE I, CLASS 1, STYLE A										
	(81348) GGG-W-00649										
5120-00-293-1602	WRENCH, SPANNER: UNIVERSAL HOSE	D		EA	2						
	COUPLINGS; 1-3 INCH HOSE COUPLING 11 INCH LG.										
	(81348) GGG-W-665										

[illegible]

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

DA FORM 2062
 JAN 82

EDITION OF JAN 58 IS OBSOLETE.

PAGE 17 OF 18 PAGES
 CURRENT AS OF 1 JULY 1991

[illegible]

SOMETHING WRONG WITH PUBLICATION			
<i>THEN...JOT DOWN THE DOPE ABOUT IT ON THIS FORM. CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL.</i>		FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)	
		DATE SENT	
PUBLICATION NUMBER		PUBLICATION DATE	
PUBLICATION TITLE			
BE EXACT PIN-POINT WHERE IT IS			
PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.
IN THIS SPACE, TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT.			
PRINTED NAME, GRADE OR TITLE AND TELEPHONE NUMBER			SIGN HERE